Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4074	seal\$3 with (mold\$3 near2 integral\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L2	595349	piston	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L3	364	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L4	21	L3 and clutch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L5	1100703	@pd>"20050527"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L6	5	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:47
L7	1178	"balance piston"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:48
L8	87	L7 and clutch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:48
L9	53	L8 and seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:49
L10	8	5 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:49
L11	7	10 not 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:49
L12	1125	192/85AA,106F.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:50

	1		1			
L13	29	5 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:51
L14	12	6 or 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:51
L15	25	13 not 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:51
L16	36709	"277"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:52
L17	32112	clutch and piston	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:52
L18	111	L16 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:52
L19	2	5 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:52
L20	34845	"92"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:53
L21	894	L20 and clutch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:53
L22	566	L21 and seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:53
L23	10	5 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/28 13:54
L24	1	clutch and piston and (seal near3 (mold\$3 and integral\$2)) and chamber and annular.clm.	US-PGPUB	OR	OFF	2005/12/28 13:59
L25	1	clutch and piston and (seal near3 (mold\$3 and integral\$2)).clm.	US-PGPUB	OR	OFF	2005/12/28 13:59

L26	3	clutch and piston and (seal near3 mold\$3).clm.	US-PGPUB	OR	OFF	2005/12/28 14:00
L27	48	clutch and piston and seal and mold\$3.cim.	US-PGPUB	OR	OFF	2005/12/28 14:00